



X

INDEX MAPS.

T.10N—R.11West 2nd Mer.



T.1N—R.12West 2nd Mer.



The figures on the lines refer to the page.

Township N. 10 North, Range N. 11 West 2. Mer. Ind.^a 469

South Boundary var. C. 45. E

April 19th 1844

Met On S. boundary of Sec. 36, T10 N. R11 W

40.00 Set of Sec. post, from which

a B. Walnut 5 in. dia. - bear S 39° W 33 lns. dist. of

a Red Bud 8 " " " N 37° E 18 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Hickory 14 in. dia. - bear N 60° E 16 lns. dist. of

a Box Elder 11 " " " S 12° W 43 " "

Land overflowed bottom, rich soil, Walnut
Elm, Ash, Hickory &c.

Met On S. boundary of Sec. 35, T10 N. R11 W

39.00 Set post on E. bank Wabash, from which

a Hackberry 13 in. dia. - bear N 36° E 27 lns. dist. of

an Elm 9 " " " S 22° E 48 " "

40.00 of Sec. post in River

55.60 Set post on W. bank of Wabash, from which

a Sycamore 27 in. dia. - bear S 16° W 13 lns. dist. of

a Do. 15 " " " N 28° W 22 " "

80.00 Set post Cor. to Sec. 34 & 35, from which

no bearings could be taken - Cor. in prairie
First rate bottom, seldomly overflows, ash,
Walnut Hackberry, Hickory, Box Elder, Elm
&c. thick underg^o of Spruce

East Boundary var. C. 50. E.

North On E. Boundary of Sec. 36

40.00 Set of Sec. post, from which

a Oak 10 in. dia. - bear N 68° E 32 lns. dist. of

a Maple 16 " " " N 86° W 24 " "

80.00 Set post Cor. to Sec. 25 & 36, from which

a Locust 10 in. dia. - bear N 47° E 14 lns. dist. of

a Cottonwood 9 " " " S 70° W 28 " "

Land level & overflows, Oak, Hickory & Elm

470

T.M.N. P.M.W. 2^d Mer. Indiana

ch. lks.

North On E. boundary of Sec. 25

40.00 Set of Sec. post, from which
an Elm 18 in. dia. bear S 11 E 9 lks. dist. of
a W. Ash 8 " " " N 25 E 36 " "80.00 Set post Cor. to Sec. 24 & 25, from which
a Hickory 11 in. dia. bear N 24 E 20 lks. dist. of
a Sycamore 36 " " " S 6 W 34 " "Level land overflows as much as 10 or 12 feet
Maple, Ash, Gum &c.

North On E. boundary of Sec. 24

40.00 Set of Sec. post, from which
an Elm 36 in. dia. bear S 69 W 5 lks. dist. of
a Do. 14 " " " S 69 E 21 " "80.00 Set post Cor. to Sec. 13 & 24, from which
an Elm 12 in. dia. bear N 11 W 27 lks. dist. of
a Do. 12 " " " N 13 E 7 " "

Overflowed bottom, Elm, Maple, Ash &c. good soil

North On E. boundary of Sec. 13

3.00 enter a prairie

40.00 Set of Sec. post, in prairie
no bearing trees80.00 Set post Cor. to Sec. 12 & 13 in prairie
no bearing trees

Level rich prairie, which sometimes overflows

North On E. boundary of Sec. 12

40.00 Set of Sec. post, from which
a Locust 18 in. dia. bear S 80 E 14 lks. dist. of
an Elm 12 " " " N 47 W 18 " "80.00 Set post Cor. to Sec. 11 & 12, from which
an Elm 10 in. dia. bear S 73 W 7 lks. dist. of
a Do. 24 " " " S 64 E 32 " "This mile principally over 1st rate bottom
which sometimes overflows, most of it prairie.

110 N. P. M. N. 2^d Mer. Indiana

471

ch. lth.

North On E. boundary of Sec. 1

40.00 Set gr. Sec. post, from which
a N. Walnut 12 in. dist. bear S 44 W 26 lth. dist. of
an Elm 9 " " " N 17 1/2 W 56 " "

45.83 Set post on E. bank of Mabash, from which
a N. Beech 6 in. dist. bear S 58 E 11 lth. dist. of
a Sugar 14 " " " N 66 E 8 " "

47.14 to the edge of the water

57.39 Set post on S. W. bank of River from which
a Hackberry 13 in. dist. bear S 89 E 12 lth. dist. of
an Elm 13 " " " N 49 W 17 " "

80.00 Set temp. Cor. to Township, 10 of N. North, of
Range, 10 of N. West

Surveyed by
William Harris
Deputy Surveyor

Subdivision.

North Between Sec. 25 & 36

40.00 Set gr. Sec. post, from which
an Ash 12 in. dist. bear S 16 E 22 lth. dist. of
a do. 8 " " " N 22 E 5 " "

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
a Boxelder 6 in. dist. bear S 7 E 12 lth. dist. of
a Hackberry 6 " " " N 83 W 25 " "

Land very wet and level, timber Oak, Hickory
and Ash

East On Rand. m. between Sec. 25 & 36

15.00 a pond covered with brush 20 chain wide

40.00 Set temp. gr. Sec. post

80.10 Intersected the N & S. line 50 lth. S. of post
Land timber etc. same as on the last mile

West On true line between Sec. 25 & 36

40.05 Set gr. Sec. post at average dist, bearings omitted

472

West P.M.W. 2nd Mer. Indiana
ch^d l^hs
80.00 to Section Corner

North Between Sec^s. 25 & 26
39.00 a Creek 50 l^hs. wide Course S.W.
40.00 Set q^r. Sec. post, from which
a Hickory 4 m. dia. beam S 86 W 13 l^hs. dist. of
a Hackberry 8 " " " N 5 W 14 " "
56.00 a Pecan 24 " "
80.00 Set post Cor. to Sec^s. 23, 24, 25 & 26, from which
a W. Oak 20 in. dia. beam N 62 W 29 l^hs. dist. of
a Mulberry 6 " " " N 41 E 30 l^hs. "
Sand &c. same as on the last mile

East On Rand^m. between Sec^s. 24 & 25
27.00 a pond Covered with grass 8 ch^d wide
40.00 Set temp^y. q^r. Sec. post
80.00 Intersected the N & S line 100 l^hs. S. of post
Sand &c. same as on the last mile

West On true line between Sec^s. 24 & 25
40.00 Set q^r. Sec. post at average dist. from which
a W. Oak 12 m. dia. beam N 41 E 44 l^hs. dist. of
no other tree
80.00 to Sec. Corner.

North Between Sec^s. 23 & 24
40.00 Set q^r. Sec. post, from which
an Elm 24 m. dia. beam N 44 E 25 l^hs. dist. of
a Hackberry 6 " " " N 46 W 6 " "
80.00 Set post Cor. to Sec^s. 13, 14, 23 & 24, from which
a Hackberry 26 m. dia. beam N 69 E 17 l^hs. dist. of
a Do. 12 " " " S 25 E 27 " "
Sand timber &c. same as on last mile

East On Rand^m. between Sec^s. 13 & 24
40.00 Set temp^y. q^r. Sec. post

473

Twp. 21 N. 2 E. Mer. Indiana

ch. l. l. l.

41.00 a pond 800 l. m. wide course N. E. & S. E.

50.00 to same S. E.

80.00 Intersected E. boundary 150 l. m. S. of post
Land timber &c. same as on the last mile

West On true line between Sec. 13 & 14

40.00 Set q. Sec. post at average dist. from which
a W. Oak 8 m. dist. bearing S 65 E 18 l. m. dist. of
a B. Oak 12 " " " S 40 E 28 " "

80.00 to Sec. Corner

North Between Sec. 13 & 14

40.00 Set q. Sec. post, from which
a W. Oak 20 m. dist. bearing S 21 E 39 l. m. dist. of
an Elm 8 " " " N 14 W 30 " "

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Hackberry 12 m. dist. bearing S 67 E 21 l. m. dist. of
a Do. 15 " " " N 58 W 28 " "
Land timber &c. same as on the last mile

East On Land. between Sec. 12 & 13

40.00 Set temp. q. Sec. post

54.00 enter prairie

80.08 Intersected the E. boundary 200 l. m. S. of post
Land timber &c. same as on last mile

West On true line between Sec. 12 & 13

40.04 Set q. Sec. post at average dist. from which
an Elm - m. dist. bearing East 53 l. m. dist.
no other tree

80.08 to Sec. Corner.

North between Sec. 11 & 12

40.00 Set q. Sec. post, from which
a Locust 4 m. dist. bearing N 65 E 9 l. m. dist. of
a Hickory 12 " " " N 45 W 36 " "

Mt. Vernon, Ind. Mer. Indiana

ch. l. l. h.

57.90 a Cottonwood 8 in. dia. cor. on the left bank
of the Wabash River80.00 Cor. to Sec. 1, 2, 11 & 12 in the River
Sand &c. same as on the last mile

West Between Sec. 1 & 12

40.00 Set of Sec. post, from which
an Ironwood 6 in. dia. beam $22^{\circ}N 22^{\circ}W$ 22 l. dist. of
a Beech 60 " " " $N 38^{\circ}E 33$ " "70.00 Set post on E. bank Wabash, from which
a Maple 8 in. dia. beam $14^{\circ}E 18^{\circ}W$ 18 l. dist. of
a Willow 10 " " " $N 1^{\circ}E 20$ " "
Sand timber &c. same as on the last mile

North Between Sec. 1 & 2

5.43 Set post on N.W. bank of river, from which
a Buckeye 12 in. dia. beam $18^{\circ}N 33^{\circ}W$ 33 l. dist. of
a Do. 12 " " " $N 15^{\circ}W 40$ " "40.00 Set of Sec. post, from which
an Elm 12 in. dia. beam $N 57^{\circ}W 12$ l. dist. of
an Ironwood 6 " " " $N 6^{\circ}W 15$ " "82.11 Intersected N. boundary 23 l. E. of post
Set post Cor. to Sec. 1 & 2, from which
an Elm 18 in. dia. beam $12^{\circ}E 39^{\circ}W$ 39 l. dist. of
a Buckeye 10 " " " $N 2^{\circ}W 4$ " "
Sand &c. same as on last mile

North Between Sec. 34 & 35

40.00 Set of Sec. post, from which
a Hickory 15 in. dia. beam $N 57^{\circ}E 36$ l. dist.
no other tree

46.00 enter timber land

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
a Hickory 12 in. dia. beam $N 44^{\circ}W 19$ l. dist. of
a Do 4 " " " $N 30^{\circ}E 30$ " "
Sand level soil rich

475

T. N. R. N. W. 2^d. Mer. Indiana

ch. lhr.
 East On Rand^m. between Sec^s. 26 & 35
 24.50 Set post on W. bank of Wabash, from which
 a W. Oak 50 m. dia. bray N 30 E 3 lhr. dist. of
 a Hickory 5 " " " S 59 E 17 " "
 West Between Sec^s. 26 & 35
 40.00 Set of Sec. post, from which
 a Buckeye 12 m. dia. bray N 7 E 40 lhr. dist. of
 a Hickory 18 " " " S 60 E 13 " "
 46.24 Set post on E. bank of Wabash, from which
 a Hackberry 10 m. dia. bray North 10 lhr. dist. of
 a Box Elder 15 " " " S 88 E 45 " "
 Land timber &c. Same as on the last mile

North Between Sec^s. 26 & 27
 40.00 Set of Sec. post, from which
 a Mulberry 8 m. dia. bray N 63 W 35 lhr. dist. of
 an Elm 8 " " " S 70 E 22 " "
 45.97 a Sugar 8 " " Cor. on the River
 76.00 a Maple 9 " " Cor. on the River N. Side of bend
 80.00 Set post Cor. to Sec^s 22, 23, 26 & 27, from which
 a Lycamore 6 m. dia. bray S 66 W 34 lhr. dist. of
 a Do. 50 " " " South 95 " "
 Land timber &c. Same as on the last mile

East Between Sec^s. 23 & 26
 3.00 Set post on the River bank, from which
 a Willow 10 m. dia. bray S 11 W 10 lhr. dist. of
 a Do. 15 " " " N 58 E 27 " "
 West Between Sec^s. 23 & 26
 40.00 a Buckeye 10 m. dia. of Sec. Corner.
 63.50 Set post on E. bank of Wabash, from which
 on Ironwood 6 m. dia. bray S 22 E 7 lhr. dist. of
 a Do. 4 " " " N 33 W 18 " "
 Land timber &c. Same as on the last mile

North Between Sec^s. 22 & 23

T10 N. R11 W. 2^d Mer. Indiana

ch. lth.

- 40.00 Set of Sec. post, from which
 a B. Walnut 18 in. dia. bray N 30 W 13 lth. dist. of
 a W. Oak 12 " " " North 11 " "
 73.19 Set post on the Wabash river, from which
 a Redbud 6 in. dia. bray S 45 E 40 lth. dist. of
 a B. Walnut 5 " " " N 65 W 18 " "
 Land timber &c. Same as on the last mile

West Between Sec. 23 & 14

- 40.00 Set of Sec. post, from which
 a W. Walnut 5 in. dia. bray N 78 E 19 lth. dist. of
 a Do. 10 " " " N 25 W 18 " "
 52.00 a B. Walnut 10 " " Corner on the E. bank
 of the River bank
 Land timber &c. Same as on last mile

North Between Sec. 14 & 15
 — leave the River

- 40.00 of Sec. Cor. & bearings Omitted
 42.33 Set post on N. side of River from which
 a Maple 12 in. dia. bray N 72 W 37 lth. dist. of
 a Do. 6 " " " N 67 E 20 " "
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 an Elm 14 in. dia. bray N 56 E 21 lth. dist. of
 an Ash 5 " " " N 24 W 34 " "
 Land timber &c. Same as on last mile

East Between Sec. 11 & 14

- 33.00 Set post on W. bank of River from which
 a Beech 24 in. dia. bray N 8 E 11 lth. dist. of
 a Redbud 3 " " " N 6 E 6 " "

West Between Sec. 11 & 14

- 36.35 Set post on E. bank of Wabash, from which
 a Hackberry 12 in. dia. bray N 27 E 19 lth. dist. of
 an Ironwood 8 " " " N 14 E 21 " "
 Land timber &c. Same as on last mile

T10 N R11 W 2nd Mer. Indiana

477

ch. lks.

Meander of the Wabash river, from
post on S. boundary of Sec. 35, T10 N R11 W
thence up stream on left bank

N57 W 22.00 in Sec. 35

N21 W 11.20

N20 E 45.50

N21 W 13.50 to line between Sec. 26 & 35

N15 W 13.00 in Sec. 26

N33 W 23.70

N25 W 33.50

N37 E 21.50 to line between Sec. 23 & 26

N36 E 34.00 in Sec. 23

N21 E 25.00

N20 W 25.50

N60 W 10.20 to line between Sec. 14 & 23

N38 W 13.60 in Sec. 14

S79 W 16.20

S70 W 20.20

(Supposed to be on Sec 15)

N66 W 26.50

N8 E 19.50

N84 E 40.00

N59 E 23.60

N33 E 43.50 to line between Sec. 11 & 14

N33 E 67.50 to line between Sec. 11 & 12

N22 E 25.00 to line between Sec. 1 & 12

N44 E 45.20 in Sec. 12

N69 E 40.70 to post in E. boundary of Sec 12

Surveyed by
Arthur Henrie,
Deputy Surveyor

I Certify that the foregoing transcript of field notes
of Township N. 10 North, Range N. 11 West D. 1 Mer.
Indiana, has been Compared with the Original
Notes in this Office, and found to be Correct.
Surveyor General's Office }
Cincinnati, Sept. 19. 1842 }

William Whiston
Sur. Genl.